

/ Descriptions

TO-92 PNP Silicon PNP transistor in a TO-92 Plastic Package.


/ Features

$V_{CE(sat)}$, h_{FE}
Low saturation voltage, excellent h_{FE} linearity and high h_{FE} .

/ Applications

3
Output stage of 3 watts audio amplifier, regulator, DC-DC converter and relay driver.

/ Equivalents: 2N3055, 2N3055A, 2N3055B, 2N3055C, 2N3055D, 2N3055E, 2N3055F, 2N3055G, 2N3055H, 2N3055I, 2N3055J, 2N3055K, 2N3055L, 2N3055M, 2N3055N, 2N3055P, 2N3055Q, 2N3055R, 2N3055S, 2N3055T, 2N3055U, 2N3055V, 2N3055W, 2N3055X, 2N3055Y, 2N3055Z, 2N3055AA, 2N3055AB, 2N3055AC, 2N3055AD, 2N3055AE, 2N3055AF, 2N3055AG, 2N3055AH, 2N3055AI, 2N3055AJ, 2N3055AK, 2N3055AL, 2N3055AM, 2N3055AN, 2N3055AO, 2N3055AP, 2N3055AQ, 2N3055AR, 2N3055AS, 2N3055AT, 2N3055AU, 2N3055AV, 2N3055AW, 2N3055AX, 2N3055AY, 2N3055AZ, 2N3055BA, 2N3055BB, 2N3055BC, 2N3055BD, 2N3055BE, 2N3055BF, 2N3055BG, 2N3055BH, 2N3055BI, 2N3055BJ, 2N3055BK, 2N3055BL, 2N3055BM, 2N3055BN, 2N3055BO, 2N3055BP, 2N3055BQ, 2N3055BR, 2N3055BS, 2N3055BT, 2N3055BU, 2N3055BV, 2N3055BW, 2N3055BX, 2N3055BY, 2N3055BZ, 2N3055CA, 2N3055CB, 2N3055CC, 2N3055CD, 2N3055CE, 2N3055CF, 2N3055CG, 2N3055CH, 2N3055CI, 2N3055CJ, 2N3055CK, 2N3055CL, 2N3055CM, 2N3055CN, 2N3055CO, 2N3055CP, 2N3055CQ, 2N3055CR, 2N3055CS, 2N3055CT, 2N3055CU, 2N3055CV, 2N3055CW, 2N3055CX, 2N3055CY, 2N3055CZ, 2N3055DA, 2N3055DB, 2N3055DC, 2N3055DD, 2N3055DE, 2N3055DF, 2N3055DG, 2N3055DH, 2N3055DI, 2N3055DJ, 2N3055DK, 2N3055DL, 2N3055DM, 2N3055DN, 2N3055DO, 2N3055DP, 2N3055DQ, 2N3055DR, 2N3055DS, 2N3055DT, 2N3055DU, 2N3055DV, 2N3055DW, 2N3055DX, 2N3055DY, 2N3055DZ, 2N3055EA, 2N3055EB, 2N3055EC, 2N3055ED, 2N3055EE, 2N3055EF, 2N3055EG, 2N3055EH, 2N3055EI, 2N3055EJ, 2N3055EK, 2N3055EL, 2N3055EM, 2N3055EN, 2N3055EO, 2N3055EP, 2N3055EQ, 2N3055ER, 2N3055ES, 2N3055ET, 2N3055EU, 2N3055EV, 2N3055EW, 2N3055EX, 2N3055EY, 2N3055EZ, 2N3055FA, 2N3055FB, 2N3055FC, 2N3055FD, 2N3055FE, 2N3055FF, 2N3055FG, 2N3055FH, 2N3055FI, 2N3055FJ, 2N3055FK, 2N3055FL, 2N3055FM, 2N3055FN, 2N3055FO, 2N3055FP, 2N3055FQ, 2N3055FR, 2N3055FS, 2N3055FT, 2N3055FU, 2N3055FV, 2N3055FW, 2N3055FX, 2N3055FY, 2N3055FZ, 2N3055GA, 2N3055GB, 2N3055GC, 2N3055GD, 2N3055GE, 2N3055GF, 2N3055GG, 2N3055GH, 2N3055GI, 2N3055GJ, 2N3055GK, 2N3055GL, 2N3055GM, 2N3055GN, 2N3055GO, 2N3055GP, 2N3055GQ, 2N3055GR, 2N3055GS, 2N3055GT, 2N3055GU, 2N3055GV, 2N3055GW, 2N3055GX, 2N3055GY, 2N3055GZ, 2N3055HA, 2N3055HB, 2N3055HC, 2N3055HD, 2N3055HE, 2N3055HF, 2N3055HG, 2N3055HH, 2N3055HI, 2N3055HJ, 2N3055HK, 2N3055HL, 2N3055HM, 2N3055HN, 2N3055HO, 2N3055HP, 2N3055HQ, 2N3055HR, 2N3055HS, 2N3055HT, 2N3055HU, 2N3055HV, 2N3055HW, 2N3055HX, 2N3055HY, 2N3055HZ, 2N3055IA, 2N3055IB, 2N3055IC, 2N3055ID, 2N3055IE, 2N3055IF, 2N3055IG, 2N3055IH, 2N3055II, 2N3055IJ, 2N3055IK, 2N3055IL, 2N3055IM, 2N3055IN, 2N3055IO, 2N3055IP, 2N3055IQ, 2N3055IR, 2N3055IS, 2N3055IT, 2N3055IU, 2N3055IV, 2N3055IW, 2N3055IX, 2N3055IY, 2N3055IZ, 2N3055JA, 2N3055JB, 2N3055JC, 2N3055JD, 2N3055JE, 2N3055JF, 2N3055JG, 2N3055JH, 2N3055JI, 2N3055JJ, 2N3055JK, 2N3055JL, 2N3055JM, 2N3055JN, 2N3055JO, 2N3055JP, 2N3055JQ, 2N3055JR, 2N3055JS, 2N3055JT, 2N3055JU, 2N3055JV, 2N3055JW, 2N3055JX, 2N3055JY, 2N3055JZ, 2N3055KA, 2N3055KB, 2N3055KC, 2N3055KD, 2N3055KE, 2N3055KF, 2N3055KG, 2N3055KH, 2N3055KI, 2N3055KJ, 2N3055KK, 2N3055KL, 2N3055KM, 2N3055KN, 2N3055KO, 2N3055KP, 2N3055KQ, 2N3055KR, 2N3055KS, 2N3055KT, 2N3055KU, 2N3055KV, 2N3055KW, 2N3055KX, 2N3055KY, 2N3055KZ, 2N3055LA, 2N3055LB, 2N3055LC, 2N3055LD, 2N3055LE, 2N3055LF, 2N3055LG, 2N3055LH, 2N3055LI, 2N3055LJ, 2N3055LK, 2N3055LL, 2N3055LM, 2N3055LN, 2N3055LO, 2N3055LP, 2N3055LQ, 2N3055LR, 2N3055LS, 2N3055LT, 2N3055LU, 2N3055LV, 2N3055LW, 2N3055LX, 2N3055LY, 2N3055LZ, 2N3055MA, 2N3055MB, 2N3055MC, 2N3055MD, 2N3055ME, 2N3055MF, 2N3055MG, 2N3055MH, 2N3055MI, 2N3055MJ, 2N3055MK, 2N3055ML, 2N3055MM, 2N3055MN, 2N3055MO, 2N3055MP, 2N3055MQ, 2N3055MR, 2N3055MS, 2N3055MT, 2N3055MU, 2N3055MV, 2N3055MW, 2N3055MX, 2N3055MY, 2N3055MZ, 2N3055NA, 2N3055NB, 2N3055NC, 2N3055ND, 2N3055NE, 2N3055NF, 2N3055NG, 2N3055NH, 2N3055NI, 2N3055NJ, 2N3055NK, 2N3055NL, 2N3055NM, 2N3055NN, 2N3055NO, 2N3055NP, 2N3055NQ, 2N3055NR, 2N3055NS, 2N3055NT, 2N3055NU, 2N3055NV, 2N3055NW, 2N3055NX, 2N3055NY, 2N3055NZ, 2N3055OA, 2N3055OB, 2N3055OC, 2N3055OD, 2N3055OE, 2N3055OF, 2N3055OG, 2N3055OH, 2N3055OI, 2N3055OJ, 2N3055OK, 2N3055OL, 2N3055OM, 2N3055ON, 2N3055OO, 2N3055OP, 2N3055OQ, 2N3055OR, 2N3055OS, 2N3055OT, 2N3055OU, 2N3055OV, 2N3055OW, 2N3055OX, 2N3055OY, 2N3055OZ, 2N3055PA, 2N3055PB, 2N3055PC, 2N3055PD, 2N3055PE, 2N3055PF, 2N3055PG, 2N3055PH, 2N3055PI, 2N3055PJ, 2N3055PK, 2N3055PL, 2N3055PM, 2N3055PN, 2N3055PO, 2N3055PP, 2N3055PQ, 2N3055PR, 2N3055PS, 2N3055PT, 2N3055PU, 2N3055PV, 2N3055PW, 2N3055PX, 2N3055PY, 2N3055PZ, 2N3055QA, 2N3055QB, 2N3055QC, 2N3055QD, 2N3055QE, 2N3055QF, 2N3055QG, 2N3055QH, 2N3055QI, 2N3055QJ, 2N3055QK, 2N3055QL, 2N3055QM, 2N3055QN, 2N3055QO, 2N3055QP, 2N3055QQ, 2N3055QR, 2N3055QS, 2N3055QT, 2N3055QU, 2N3055QV, 2N3055QW, 2N3055QX, 2N3055QY, 2N3055QZ, 2N3055RA, 2N3055RB, 2N3055RC, 2N3055RD, 2N3055RE, 2N3055RF, 2N3055RG, 2N3055RH, 2N3055RI, 2N3055RJ, 2N3055RK, 2N3055RL, 2N3055RM, 2N3055RN, 2N3055RO, 2N3055RP, 2N3055RQ, 2N3055RR, 2N3055RS, 2N3055RT, 2N3055RU, 2N3055RV, 2N3055RW, 2N3055RX, 2N3055RY, 2N3055RZ, 2N3055SA, 2N3055SB, 2N3055SC, 2N3055SD, 2N3055SE, 2N3055SF, 2N3055SG, 2N3055SH, 2N3055SI, 2N3055SJ, 2N3055SK, 2N3055SL, 2N3055SM, 2N3055SN, 2N3055SO, 2N3055SP, 2N3055SQ, 2N3055SR, 2N3055SS, 2N3055ST, 2N3055SU, 2N3055SV, 2N3055SW, 2N3055SX, 2N3055SY, 2N3055SZ, 2N3055TA, 2N3055TB, 2N3055TC, 2N3055TD, 2N3055TE, 2N3055TF, 2N3055TG, 2N3055TH, 2N3055TI, 2N3055TJ, 2N3055TK, 2N3055TL, 2N3055TM, 2N3055TN, 2N3055TO, 2N3055TP, 2N3055TQ, 2N3055TR, 2N3055TS, 2N3055TT, 2N3055TU, 2N3055TV, 2N3055TW, 2N3055TX, 2N3055TY, 2N3055TZ, 2N3055UA, 2N3055UB, 2N3055UC, 2N3055UD, 2N3055UE, 2N3055UF, 2N3055UG, 2N3055UH, 2N3055UI, 2N3055UJ, 2N3055UK, 2N3055UL, 2N3055UM, 2N3055UN, 2N3055UO, 2N3055UP, 2N3055UQ, 2N3055UR, 2N3055US, 2N3055UT, 2N3055UU, 2N3055UV, 2N3055UW, 2N3055UX, 2N3055UY, 2N3055UZ, 2N3055VA, 2N3055VB, 2N3055VC, 2N3055VD, 2N3055VE, 2N3055VF, 2N3055VG, 2N3055VH, 2N3055VI, 2N3055VJ, 2N3055VK, 2N3055VL, 2N3055VM, 2N3055VN, 2N3055VO, 2N3055VP, 2N3055VQ, 2N3055VR, 2N3055VS, 2N3055VT, 2N3055VU, 2N3055VV, 2N3055VW, 2N3055VX, 2N3055VY, 2N3055VZ, 2N3055WA, 2N3055WB, 2N3055WC, 2N3055WD, 2N3055WE, 2N3055WF, 2N3055WG, 2N3055WH, 2N3055WI, 2N3055WJ, 2N3055WK, 2N3055WL, 2N3055WM, 2N3055WN, 2N3055WO, 2N3055WP, 2N3055WQ, 2N3055WR, 2N3055WS, 2N3055WT, 2N3055WU, 2N3055WV, 2N3055WW, 2N3055WX, 2N3055WY, 2N3055WZ, 2N3055XA, 2N3055XB, 2N3055XC, 2N3055XD, 2N3055XE, 2N3055XF, 2N3055XG, 2N3055XH, 2N3055XI, 2N3055XJ, 2N3055XK, 2N3055XL, 2N3055XM, 2N3055XN, 2N3055XO, 2N3055XP, 2N3055XQ, 2N3055XR, 2N3055XS, 2N3055XT, 2N3055XU, 2N3055XV, 2N3055XW, 2N3055XX, 2N3055XY, 2N3055XZ, 2N3055YA, 2N3055YB, 2N3055YC, 2N3055YD, 2N3055YE, 2N3055YF, 2N3055YG, 2N3055YH, 2N3055YI, 2N3055YJ, 2N3055YK, 2N3055YL, 2N3055YM, 2N3055YN, 2N3055YO, 2N3055YP, 2N3055YQ, 2N3055YR, 2N3055YS, 2N3055YT, 2N3055YU, 2N3055YV, 2N3055YW, 2N3055YX, 2N3055YY, 2N3055YZ, 2N3055ZA, 2N3055ZB, 2N3055ZC, 2N3055ZD, 2N3055ZE, 2N3055ZF, 2N3055ZG, 2N3055ZH, 2N3055ZI, 2N3055ZJ, 2N3055ZK, 2N3055ZL, 2N3055ZM, 2N3055ZN, 2N3055ZO, 2N3055ZP, 2N3055ZQ, 2N3055ZR, 2N3055ZS, 2N3055ZT, 2N3055ZU, 2N3055ZV, 2N3055ZW, 2N3055ZX, 2N3055ZY, 2N3055ZZ





PIN1 Base PIN 2 Collector PIN 3 Emitter

/ h_{FE} Classifications & Marking

Parameter	Symbol	Rating	Unit
Collector to Base Voltage	V_{CBO}	-40	V
Collector to Emitter Voltage	V_{CEO}	-30	V
Emitter to Base Voltage	V_{EBO}	-5.0	V
Collector Current - Continuous	I_C	-3.0	A
Collector Power Dissipation	P_C	1.0	W
Junction Temperature	T_j	150	
Storage Temperature Range	T_{stg}	-55 150	

Parameter	Symbol	Test Conditions	Min	Typ	Max	Unit
Collector Cut-Off Current	I_{CBO}	$V_{CB}=-30V$ $I_E=0$			-1.0	μA
Emitter Cut-Off Current	I_{EBO}	$V_{EB}=-3.0V$ $I_C=0$			-1.0	μA
DC Current Gain	$h_{FE(1)}$	$V_{CE}=-2.0V$ $I_C=-1.0A$	60	160	400	
	$h_{FE(2)}$	$V_{CE}=-2.0V$ $I_C=-20mA$	30	220		
Collector to Emitter Saturation Voltage	$V_{CE(sat)}$	$I_C=-2.0A$ $I_B=-0.2A$		-0.3	-0.5	V
Base to Emitter Saturation Voltage	$V_{BE(sat)}$	$I_C = -2.0 A$				


/ Electrical Characteristic Curve




/ Package Dimensions

TO-92

Unit: mm



/ Marking Instructions



BR:

B772S

R: h_{FE}

Note:


BR: Company Code.

B772S: Product Type.

R: h_{FE} Classifications Symbol

****: Lot No. Code, code change with Lot No.

() / Temperature Profile for Dip Soldering(Pb-Free)



Note:

- | | | | | | |
|---|-------|-----|-----------|---|--------------------------------------|
| 1 | 25 | 150 | 60 | 90sec; | 1.Preheating:25~150 , Time:60~90sec. |
| 2 | 255±5 | | 5±0.5sec; | 2.Peak Temp.:255±5 , Duration:5±0.5sec. | |
| 3 | | 2 | 10 | /sec. | 3. Cooling Speed: 2~10 /sec. |

/ Resistance to Soldering Heat Test Conditions

270±5 10±1 sec. Temp:270±5 Time:10±1 sec

/ Packaging SPEC.

/ BULK

Package Type	Units					Dimension		(unit mm3)

/ AMMO

Package Type	Units					Dimension		(unit mm3)

/ Notices