




--	--	--	--




SOT-323

Rev.A Aug.-

fi fi ~ fi fi t - ž & / % & , - fi i = , % , & / ž % # / " & fi i + % ! ž fi



fi fi ~ fi fi 0 , % 1 " . 2 fi ? . # / % + & / " ' . # fi




H

L4P

Note:

H: Company Code

L4P: Product Type



: <fi fi fi fi

- | | | | | | |
|---|-------|-----|-------|--------|--|
| | | | | | |
| 1 | 150 | 180 | 60 | 90sec; | Note:
1.Preheating:150~180 , Time:60~90sec. |
| 2 | 245±5 | | 5±0.5 | sec; | 2.Peak Temp.:245±5 , Duration:5±0.5sec. |
| 3 | | 2 | 10 | /sec. | 3. Cooling Speed: 2~10 /sec. |

fi fi fi fi fi fi Žž#"#/, .&žfi/'fi/'-\$ž%" .2fiŁž, /fi'ž#/fi i' .\$/"' .#fi

260±5 10±1 sec. Temp.:260±5 Time:10±1 sec

fi fi fi fi fi fi 5, &1, 2". 2fi/5 t i fi

/ REEL

Package Type	Units " ~ " ~ "	Dimension " ~ " i ?
--------------	-----------------	---------------------