



/ Revised record

| A |  |  | W01 |  |  |
|---|--|--|-----|--|--|
|   |  |  |     |  |  |
|   |  |  |     |  |  |
|   |  |  |     |  |  |
|   |  |  |     |  |  |
|   |  |  |     |  |  |
|   |  |  |     |  |  |
|   |  |  |     |  |  |
|   |  |  |     |  |  |
|   |  |  |     |  |  |

ES2KB



!"#\$%&'()\*##### DATA SHEET

/ Descriptions

800V 2.0A SMB  
7%3084 # 95%&+ 7%, 3081+ 45 3: 4+;0; 3< 31 # =5+8? -@))=<A53 / 83B# C%33 &+(!)"<# 7 9 D#  
,84E8? !#  
#

/ Features

2011/65/EU RoHS  
F>811#G811; 8+ B#C\*;, #7%, 3081+ 3 31 #3 45 3:#+; 6 H 8B#03 #,&#456 ,>: # / ; +\*# I J# 0K 7#  
( ) LL.MN. I J#B; 3 4+; 1<A53#1%3084 # 65%&+ B#8, ,>; 48+; 5&1<K8>5? &#03 #, 35B%4+!



/ Applications

F & 38>#,%3,51 !#  
#

/ Equivalent Circuit



/ Pinning




/ Marking

7 # 9 83E;&?#0&1+3%4+;5&1#



ES2KB

!"#\$%&!'()##### DATA SHEET




#


/ Package Dimensions

#

SMB



#  
#  
#  
#  
#  
#  
#  
#  
#  
#  
#  
#




#

/ Marking Instructions

#

#

#



#

#

#

#

#

#

#

#

#

ES2K

\*\*\*\*

1

> ?

@ A B

C ? D

^5+ -#

ES2K

**ES2KB**