

ES5AC~ES5JC

!"#\$ %!&' (')

ES5AC~ES5JC



!"#\$ %!&' (')##### DATA SHEET

/ Descriptions

672083 #947: + #67, 2081+ # 34 2; # 3+ 0< 2= 21 #>4?+8@ -A(#+4B((>=\$42 / 82C#D722 : + -A!(E=6 9 D# ,83F8@ !# #

/ Features

G'811#H811< 8+ C#D* <, #I7: C+<4: =\$81+ #2 21 #2 34 2; #<5 , J 8C#02 #<: #345 , ?; # / <+*#KL# 0M6# ' () .BA.KL#C<2 3< 1=\$42#172083 #5 47: + C#8, , ?<38<4: 1=M8?4@ : #02 #, 24C73+!


/ Applications

G : 28?# , 72, 41 !# #

/ Equivalent Circuit



/ Pinning



/ Marking#


6 #9 82F<: @#N: 1+273<4: 1#

ES5AC~ES5JC



#

/ Package Dimensions



#



#

/ Marking Instructions

#

Marking

Type number



#

/ Marking Instructions

#

#

#

#

#

#

#

#

#

#

#



ES5A

1

3

] 4+ -#

ES5A H24C73+#U; , #D4C #

**** J4+#] 4!#D4C U* #)1+# 5 8:1-c 9#D4C U* #81+#Q# 5 8:1-?<+? #J4+#] 4#
D4C

#

#

ES5AC~ES5JC
!

.....